

In the Claims

Rewrite Claims 2 and 3 as follows:

What Is Claimed:

1. (Canceled)

2. (Currently amended) A packer cup for use sealing an annulus within a pipe comprising:

an elongated, hollow sleeve having first and second end openings disposed, coaxially, along the longitudinal axis of said sleeve, said sleeve having a bell-shaped portion surrounding the first end and a tubular portion surrounding the second opening; said bell-shaped portion having an outer diameter adapted to be slightly less than the inner diameter of said pipe; a lip surrounding said first opening integral with said sleeve, said sleeve and lip being constructed of an elastomeric material with said ~~lip~~ sleeve of a harder material than said ~~sleeve~~ lip wherein said sleeve and lip are constructed from polyurethane.

3. (Currently amended) A packer cup for use sealing an annulus within a pipe comprising:

an elongated, hollow sleeve having first and second end openings disposed, coaxially, along the longitudinal axis of said sleeve, said sleeve having a bell-shaped portion surrounding the first end and a tubular portion surrounding the second opening; said bell-shaped portion having an outer diameter adapted to be slightly less than the inner diameter of said pipe; a lip surrounding said first opening integral with said sleeve, said sleeve and lip being constructed of an elastomeric material with said ~~lip~~ sleeve of a harder material than said ~~sleeve~~ lip further comprising a metal sleeve disposed in said elastomer sleeve disposed within the second opening.

4. (Original) The cup of claim 3 wherein said metal sleeve is secured within said cup by adhesive.

5. (Canceled)

6. (Canceled)

7. (Previously Presented) The cup of claim 2 wherein the hardness of the sleeve is about 60 SHORE D.

8. (Previously Presented) The cup of claim 7 wherein the lip has a hardness of 80-95 SHORE A.

What Is Claimed:

1. (Canceled)

2. (Currently amended) A packer cup for use sealing an annulus within a pipe comprising:

an elongated, hollow sleeve having first and second end openings disposed, coaxially, along the longitudinal axis of said sleeve, said sleeve having a bell-shaped portion surrounding the first end and a tubular portion surrounding the second opening; said bell-shaped portion having an outer diameter adapted to be slightly less than the inner diameter of said pipe; a lip surrounding said first opening integral with said sleeve, said sleeve and lip being constructed of an elastomeric material with said sleeve of a harder material than said lip wherein said sleeve and lip are constructed from polyurethane.

3. (Currently amended) A packer cup for use sealing an annulus within a pipe comprising:

an elongated, hollow sleeve having first and second end openings disposed, coaxially, along the longitudinal axis of said sleeve, said sleeve having a bell-shaped portion surrounding the first end and a tubular portion surrounding the second opening; said bell-shaped portion having an outer diameter adapted to be slightly less than the inner diameter of said pipe; a lip surrounding said first opening integral with said sleeve, said sleeve and lip being constructed of an elastomeric material with said sleeve of a harder material than said lip further comprising a metal sleeve disposed in said elastomer sleeve disposed within the second opening.

4. (Original) The cup of claim 3 wherein said metal sleeve is secured within said cup by adhesive.

5. (Canceled)

6. (Canceled)

7. (Previously Presented) The cup of claim 2 wherein the hardness of the sleeve is about 60 SHORE D.

8. (Previously Presented) The cup of claim 7 wherein the lip has a hardness of 80-95 SHORE A.